DATA AND ANALYSES

Comparison 1. Curcumin versus placebo


Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size	
1 Relapse at 6 months	1	89	Risk Ratio (M-H, Fixed, 95% CI)	0.24 [0.05, 1.09]	
2 Relapse at 12 months	1	89	Risk Ratio (M-H, Fixed, 95% CI)	0.70 [0.35, 1.40]	
3 Clinical Activity Index at 6 months	1	82	Mean Difference (IV, Fixed, 95% CI)	-1.20 [-2.14, -0.26]	
4 Endoscopic Index at 6 months	1	82	Mean Difference (IV, Fixed, 95% CI)	-0.8 [-1.33, -0.27]	

Analysis I.I. Comparison I Curcumin versus placebo, Outcome I Relapse at 6 months.

Review: Curcumin for maintenance of remission in ulcerative colitis

Comparison: I Curcumin versus placebo

Outcome: I Relapse at 6 months




Analysis 1.2. Comparison I Curcumin versus placebo, Outcome 2 Relapse at 12 months.

Review: Curcumin for maintenance of remission in ulcerative colitis

Comparison: I Curcumin versus placebo

Outcome: 2 Relapse at 12 months



Analysis I.3. Comparison I Curcumin versus placebo, Outcome 3 Clinical Activity Index at 6 months.

Review: Curcumin for maintenance of remission in ulcerative colitis

Comparison: I Curcumin versus placebo

Outcome: 3 Clinical Activity Index at 6 months

Study or subgroup	Curcumin N	Mean(SD)	Placebo N	Mean(SD)	Mean Difference IV,Fixed,95% CI	Weight	Mean Difference IV.Fixed.95% CI
-		, ,		. ,	11/1 (800) 570 01		
Hanai 2006	43	I (2)	39	2.2 (2.3)		100.0 %	-1.20 [-2.14, -0.26]
Total (95% CI)	43		39		•	100.0 %	-1.20 [-2.14, -0.26]
Heterogeneity: not ap	plicable						
Test for overall effect:	Z = 2.51 (P = 0)	0.012)					
Test for subgroup diffe	erences: Not app	olicable					
				-10) -5 0 5	10	

Favours curcumin


Favours placebo

Analysis I.4. Comparison I Curcumin versus placebo, Outcome 4 Endoscopic Index at 6 months.

Review: Curcumin for maintenance of remission in ulcerative colitis

Comparison: I Curcumin versus placebo

Outcome: 4 Endoscopic Index at 6 months



Favours curcumin

Favours placebo